

Docket No.: 4468-031

PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of :  
Kenji FUKASAWA :  
Serial No. Not yet assigned : Group Art Unit: Not yet assigned  
Filed: herewith : Examiner: N/A  
For: COLOR CORRECTION TABLE GENERATING METHOD, IMAGE PROCESSING  
DEVICE, IMAGE PROCESSING METHOD AND RECORDING MEDIA

**PRELIMINARY AMENDMENT**

Assistant Commissioner For Patents  
Washington, D.C. 20231

Dear Sir:

Preliminary to examination of the above-referenced application, please amend the  
application:

**IN THE CLAIMS:**

Please amend claim 9 as follows:

9. (Amended) A projector comprising the image processing device as claimed in claim 2.


**REMARKS**

The above-referenced application is amended to delete the multiple dependencies of claim 9  
and avoid the multiple dependent claim filing fee.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached pages are captioned "Marked-Up Version Showing Changes".

Respectfully submitted,

LOWE HAUPTMAN GILMAN & BERNER, LLP



Benjamin J. Hauptman  
Registration Number 29,310

1700 Diagonal Road, Suite 310  
Alexandria, Virginia 22314  
(703) 684-1111 BJH:tmp

out of the gamut of the image output device and in the gamut of the image input signal is correlated to a color point in the gamut of the image output device.

6. An image processing method executing an image processing to image input signal with referring to a three dimensional color correction table, which correlates a color point in the gamut of the image input signal to a color point in the gamut of the image output device, in a specified color space wherein a white point of a gamut of the image input signal substantially corresponds to a maximum brightness point having a same chromaticity as said white point and a maximum brightness in a gamut of an output device.

7. A computer-readable medium storing a program of instructions for execution by the computer to perform an image processing to image input signal with referring to a three dimensional color correction table, which correlates a color point in the gamut of the image input signal to a color point in the gamut of the image output device, in a specified color space wherein a white point of a gamut of the image input signal substantially corresponds to a maximum brightness point having a same chromaticity as said white point and a maximum brightness in a gamut of an output device.

8. A computer-readable medium storing a three dimensional color correction table, which correlates a color point in the gamut of the image input signal to a color point in the gamut of the image output device, in a specified color space wherein a white point of a gamut of the image input signal substantially corresponds to a maximum brightness point having a same chromaticity as said white point and a maximum brightness in a gamut of an output device.

9. A projector comprising the image processing device as claimed in any one of

